## **CWWPA OS X (10.4)** Note: Please update to latest version first.

1. Enable Airport and you will get a prompt for user name and password (domain account).



2. Click on show certificate. Click on "Always trust these certificates". Modify "Trust Settings" from "Ask permission" to "Always trust".

	Preview File Edit View Go Tools Bookmarks	window Help	📕 🗏 🤝 🜒 🔳 TUE II:40 AM 🚯 🕓
P	Seal and	19 19 22	3-3375 Macintosh HD 111.47 GB, 96.35 GB free
	A starter of	Not Carling	USERS 1.6 TB, 72.8 GB free
	Aller and a second second	Verny Certificate	
Acres	ALOT	802.1X Authentication The server certificate is not trusted because there are no explicit trust settings.	Downloads No trems
100		Always trust these certificates	A CONTRACTOR OF
1.2	The state of the second second		CT I
		Broad	
122	the second states and the second		Picture 1.png
1.00			1,440 × 500
	Re 1	Inity.COUCARS.INT     Sude by: Broad     Expires: Thursday, December 20, 2007 10:40:14 AM US/Eastern     This certificate is valid     Tust Settings	Sis.term
	CONTRACTOR OF CONTRACTOR		á
1.2	The Party of the P	(?) (Hide Certificate) (Cancel) (Continue)	TIN
	A State of the second stat		www.cofc.edu/it/
2	COLLECE OF	All and	helpdesk/avebloc
	COLLEGE OF		AT THE REAL PROPERTY AND A PROPERTY
	CTIADIT	CTON	A WARD
52	FICHARLE	SIUN ASSA	
2			
2			
	a) 🛀 🗐 🕰 📜		7
			N 💭

3. Now we need to create the "Configuration to Login Window". Click on



and select "Open Internet Connect..."

## 4. Click on "New 802.1X"

Internet Connect	File Edit Connect Window Help	
- C. 2.50	New Connection Window %N AirPort	
10000	New VPN Connection ① 発V New 802.1X Connection ① 能X	A Strate
1	Import Configurations 企業I Export Configurations 企業E On Turn AirPort Off	1 Yr A
100	Close #W CWWPA	0
	Signal Level:	and the second
	Base Station ID: 00:16:C7:7F:46:C0	
States and	Show AirPort status in menu bar	
and a start	Status: Connected to "CWWPA"	1 de la constante
State State		20100
	Test and the second	West State
	A state of the second stat	P. Stiel
	State Part 15 10 Manual and	1.0
1		1995 / 39A
THEY LOUGH		ALL CARDEN COMPANY

5. Edit Configuration: internet Connect File Edit Connect Window Help

1 Page	Summary	802.1X		A Star
A state	Configuration v Network Port	802.1X / Other Edit Configurations		+
then a	User Name: Password:		_	
S. A. LOW	Wireless Network:	(lease Brancels CTC)	• • •	
- The har	Connect Time: 00:0	(Inner Protocol: GTC) 11:07	Disconnect	(

6. Change default to CWWPA. Make sure Username and Password belongs to User and NOT the Example. See below.

G Internet Connect File	Edit Connect Window	/ Help		
P C LEGIN	$\bigcirc \bigcirc \bigcirc \bigcirc$	802.1X		E. Martin
1 Provent	Configuration CWWPA	Description:	CWWPA	The st
		Network Port:	AirPort	1000
1 1 2 3-		dona Ed User Name:	bedoyam	AND
and the second		Port Password:	•••••	14
No. of Concession, Name		Wireless Network:	CWWPA	
all and and		Authentication:	On Protocol	States -
St. Same			✓ PEAP ✓ LEAP	A CARD
Elmer da la				A CONTRACTOR
			EAP-FAST Configure	process for
			Select supported authentication protocols above and then order them appropriately.	C. Martine
	+ -		Cancel OK	the state
ALC: NO DECISION	10000 100 200	A PROPERTY	A CONTRACTOR OF	13 M 9 13
12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		y Barks		
11. 10. 10. 11		20 1 10		
P 9 000 8000	- Martin	and the second		CARLEY LOS
CONTRACTOR OF THE OWNER	N 200		and the state of t	A Participant
The Constantion	CONTRACTOR NO.	and it was a series		The second second
all the second	Para Martin 12		1.25-57	

7. Here is how it should look like

ć	Internet Connect	File	Edit	Connect	Window	Help	
	internet connect	THE	Luit	Connect	in lindow	ricip	

1.120.000	000	802.1X	
1 BUNK	🕘 🤶 👂		A State
Color Mar	Summary AirPort Bluetoo	oth VPN 802.1X	N W
Star and a star		802.1X	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Configuration:	CWWPA	
	Network Port:	AirPort	M. A.
No. of Concession, Name	User Name:	bedoyam	Carried States
all the state	Password:	•••••	
S. A. Card	Wireless Network:	CWWPA ?	111
	Status: Idle	Connect	Constant State
578 B B 172.04-3	-	Contraction of the local division of the	- West
如中心已经被改变			Freedow
STATISTICS OF			and the second second
PUS AND BUT	10.50	A CONTRACTOR OF A	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
125 Jan 1 1	and the second second		A STATE

8. Finally, export the login window.

	Internet Connect	File Edit Connec	t Window Help			
		New Connection W	lindow	ЖN		
	Θ	New VPN Connect	ion 802.1X	企業V		
0	0.0	New 802.1X Conn	ection	ΰ₩X		
P.	Sur Sur	Import Configurat	ions	ሰ ቻበ		
1 E		Export Configurat	ions	ΰℋE		
-	6. C	Export 802.1X Co	Export 802.1X Configuration to Login Window			
	NO	Close	E CWWPA	жw	<b>;</b>	
-	r 1	Network Port:	AirPort		A Y	
1		User Name:	bedoyam			
		Password:				
~ _		Wireless Network:	CWWPA		• ?	
M	s	tatus: Connected		Di	sconnect	

And, "Always Allow" to use CWWPA.

System Preferences Edit View	v Window Help		S # F
Carlos V	000	O Network     Show All	3
A MA	Summary AirPort B	Location: Automatic	Man-
13 3 - AN	Configura	Show: Network Status	
1	Network I	Built-in Ethernet is currently active and has the IP address	H S
and the second second	User Na	Confirm Access to Keychain	SAM
and the state of	Passw Wiseless Net	System Preferences wants permission to use the "CWWPA" item from your keychain. Do you want to allow this?	
Sugar States	Wireless Netw		
	Status: Idle	▶ Details	a lat
18 B B 18 04 19		Oeny     Allow Once     Always Allow	
	Stand.		A THE
STATISTICS NEED	1 Start		Ø
	R. Car	Configure Connect 2	
10000	1 1	Connect (?	
100 0000	- harris	Click the lock to prevent further changes.	alle.
Contraction of the second	and the second		ANT PR
- CONTRACT	Ser and		192
Contraction of the	Martin Contraction	STORE AND	and the second